

Inventaire général Oudon Vallée du Hâvre

			2016-10-29	2018-09-17	2019-11-16	2021-11-13	2023-11-04
Genre	espèce	auteur					
<i>Agaricus</i>	<i>campestris</i>	L. : Fr.		x	x		
<i>Agaricus</i>	<i>impudicus</i>	(Rea) Pilat			x		
<i>Agaricus</i>	<i>porphyrizon</i>	Orton			x		x
<i>Agaricus</i>	<i>silvicola</i>	(Vitt.) Sacc.			x		
<i>Agaricus</i>	<i>xanthoderma</i> var. <i>griseus</i>	(A. Pearson) M. Bon & Capelli		x			
<i>Agaricus</i>	<i>xanthodermus</i>	Genevier			x		x
<i>Agrocybe</i>	<i>aegerita</i>	(Brig.) Fayod		x			
<i>Agrocybe</i>	<i>pediades</i>	(Fries) Fayod				x	
<i>Amanita</i>	<i>citrina</i>	(Schaeffer) Pers.			x	x	
<i>Amanita</i>	<i>excelsa</i> var. <i>spissa</i>	(Fr.) Neuville & Poumarat			x		
<i>Amanita</i>	<i>muscaria</i>	(Linnaeus) Lamarck		x		x	
<i>Amanita</i>	<i>pantherina</i>	(D.C.: Fr.) Krombholz		x	x	x	
<i>Amanita</i>	<i>phalloides</i>	(Fr. : Fr.) Link			x		
<i>Armillaria</i>	<i>cepistipes</i>	Velen.	x				
<i>Armillaria</i>	<i>cepistipes</i> f. <i>pseudobulbosa</i>	Romagn. & Marxm.			x	x	
<i>Armillaria</i>	<i>ostoyae</i>	(Romagn.) Herink		x			
<i>Arrhenia</i>	<i>retiruga</i>	(Bulliard) Redhead		x	x		
<i>Auricularia</i>	<i>auricula-judae</i>	(Bull. : Fr.) Wettstein	x	x			
<i>Auricularia</i>	<i>mesenterica</i>	(Dicks.: Fr.) Pers.	x	x	x	x	x
<i>Bjerkandera</i>	<i>adusta</i>	(Willd.) P. Karst.	x				
<i>Bolbitius</i>	<i>titubans</i>	(Bulliard) Fries			x	x	
<i>Byssomerulius</i>	<i>corium</i>	(Pers.) Parmasto			x		x

<i>Calocera</i>	<i>cornea</i>	(Batsch) Fries					x	
<i>Calocera</i>	<i>viscosa</i>	(Pers.: Fr.) Fr.				x		
<i>Chlorociboria</i>	<i>aeruginascens</i>	(Nylander.) Kanouse & al.		x			x	
<i>Chlorophyllum</i>	<i>bruneum</i>	(Farl. & Burt) Vellinga	x					
<i>Clavulina</i>	<i>cristata</i>	(Holmskjöld) J. Schröter					x	
<i>Clitocybe</i>	<i>nebularis</i>	(Batsch) P. Kumm.	x	x	x	x		
<i>Clitocybe</i>	<i>phyllophila</i>	(Pers.: Fr.) P. Kumm.				x		
<i>Clitocybe</i>	<i>rivulosa</i>	(Pers.) P. Kumm.				x		
<i>Clitopilus</i>	<i>prunulus</i>	(Scop. : Fr.) P. Kumm.		x				
<i>Coprinellus</i>	<i>disseminatus</i>	(Pers.) J.E.Lange		x				
<i>Coprinellus</i>	<i>micaceus</i>	(Bull.) Vilgalys, Hopple & Jacq.Johnson	x			x		
<i>Coprinopsis</i>	<i>melanthina</i>	(Fr.) Örstadius & E. Larss.						
<i>Coprinopsis</i>	<i>picacea</i>	(Bulliard) Redhead, Vilgalys & Moncalvo	x	x			x	
<i>Coriolopsis</i>	<i>trogii</i>	(Berk.) Domanski						x
<i>Cortinarius</i>	<i>decepiens</i>	(Pers. : Fr.) Fr.				x		x
<i>Cortinarius</i>	<i>galeobdolon</i>	Melot		x				
<i>Cortinarius</i>	<i>infractus</i>	(Persoon) Fries					x	
<i>Cortinarius</i>	<i>ochroleucus</i>	(Schaeffer : Fr.) Fr., ss Fr.				x	x	
<i>Cortinarius</i>	<i>purpurascens</i>	(Fr.) Fr.		x	x			
<i>Crepidotus</i>	<i>mollis</i>	(Schaeffer : Fr.) Staude		x				
<i>Cuphophyllum</i>	<i>niveus</i>	(Scop.: Fr.) M.Bon				x		
<i>Cyclocybe</i>	<i>cylindracea</i>	(de Candolle) Vizzini & Angelini					x	
<i>Daedaleopsis</i>	<i>confragosa</i>	(Bolt.: Fr.) Schroet.	x	x	x	x	x	x
<i>Daldinia</i>	<i>concentrica</i>	(Bolton) Ces. & De Not.	x	x			x	x
<i>Entoloma</i>	<i>lividoalbum</i>	(K. & R.) Kubicka		x				
<i>Entoloma</i>	<i>rhodopolium f. nidorosum</i>	(Fr.) Noordeloos					x	x
<i>Entoloma</i>	<i>sericeum</i>	(Bull.) Qué. non Schaeffer				x		
<i>Fistulina</i>	<i>hepatica</i>	(Schaeffer) Withering					x	
<i>Fomes</i>	<i>fomentarius</i>	(L.: Fr.) Fr.		x				
<i>Galerina</i>	<i>marginata</i>	(Batsch.) Kühn.		x	x	x		
<i>Ganoderma</i>	<i>applanatum</i>	(Pers.) Pat.	x					
<i>Gymnopilus</i>	<i>spectabilis</i>	(Fr.) Singer		x	x	x		
<i>Gymnopus</i>	<i>dryophilus</i>	(Bull.) Murrill						x
<i>Gymnopus</i>	<i>quercophilus</i>	(Pouzar) Antonín & Noordel.						x
<i>Hebeloma</i>	<i>sacchariolens</i>	Qué.						x

<i>Helvella</i>	<i>elastica</i>	Bulliard					x	
<i>Hortiboletus</i>	<i>engelii</i>	(Hlaváček) Biketova & Wasser					x	
<i>Humaria</i>	<i>hemisphaerica</i>	(F.H. Wiggers) Fuckel					x	
<i>Hygrocybe</i>	<i>conica</i>	(Schaeffer) P. Kummer					x	
<i>Hygrophoropsis</i>	<i>aurantiaca</i>	(Wulfen : Fr.) Maire		x				
<i>Hymenopellis</i>	<i>radicata</i>	(Relhan) R.H.Petersen					x	
<i>Hymenoscyphus</i>	<i>scutula</i>	(Pers.) W.Phillips	x					
<i>Hypholoma</i>	<i>fasciculare</i>	(Hudson : Fr.) P. Kumm.	x	x	x	x	x	x
<i>Hypoxylon</i>	<i>fuscum</i>	(Pers.) Fr.	x					
<i>Infundibulicybe</i>	<i>gibba</i>	(Pers.) Harmaja						x
<i>Inocybe</i>	<i>asterospora</i>	Quél.				x		
<i>Inocybe</i>	<i>euviolacea</i>	E. Ludw.		x	x	x		
<i>Inocybe</i>	<i>geophylla</i>	(Bull. : Fr.) P. Kumm.	x	x	x	x		
<i>Laccaria</i>	<i>amethystina</i>	Cooke					x	
<i>Laccaria</i>	<i>laccata</i> var. <i>pallidifolia</i>	(Peck) Peck				x	x	x
<i>Laccaria</i>	<i>proxima</i>	(Boud.) Patouillard				x		
<i>Lacrymaria</i>	<i>lacrymabunda</i>	(Bull.) Pat.	x			x		
<i>Lactarius</i>	<i>controversus</i>	Persoon	x				x	x
<i>Lactarius</i>	<i>pyrogalus</i>	(Bull. : Fr.) Fr.				x	x	
<i>Lactarius</i>	<i>volemus</i>	(Fr.: Fr.) Fr.				x	x	
<i>Laetiporus</i>	<i>sulphureus</i>	(Bull.) Murrill	x					
<i>Lentinus</i>	<i>tigrinus</i>	(Bulliard) Fries	x	x			x	x
<i>Lepiota</i>	<i>echinella</i>	Quél. & G.E. Bernard						x
<i>Lepiota</i>	<i>subgracilis</i>	Kühner						x
<i>Lepista</i>	<i>inversa</i>	(Scop.) Pat.	x			x		
<i>Lepista</i>	<i>nuda</i>	(Bull.: Fr.) Cooke	x			x		
<i>Leratiomyces</i>	<i>ceres</i>	(Cooke & Masee) Spooner & Bridge		x	x			x
<i>Leucoagaricus</i>	<i>croceovelutinus</i>	(Bon & Boiffard) Bon & Boiffard						x
<i>Leucoagaricus</i>	<i>crystallifer</i>	Vellinga						x
<i>Leucoagaricus</i>	<i>leucothites</i>	(Vittad.) Wasser						x
<i>Leucoagaricus</i>	<i>marriagei</i> var. <i>ammovirescens</i>	Bon		x				
<i>Leucoagaricus</i>	<i>serenus</i>	(Fries) Bon & Boiffard		x				
<i>Leucopaxillus</i>	<i>paradoxus</i>	(Costantin & L.M. Dufour) Boursier	x					
<i>Lyophyllum</i>	<i>decastes</i>	(Fries) Singer					x	
<i>Macrolepiota</i>	<i>excoriata</i>	(Fr.: Fr.) Wasser		x				

<i>Macrolepiota</i>	<i>mastoidea</i>	(Fr.) Singer		x			
<i>Marasmiellus</i>	<i>ramealis</i>	(Bull.: Fr.) Singer		x	x	x	
<i>Marasmius</i>	<i>cohaerens</i>	(Pers.: Fr.) Cooke & Quél.		x			
<i>Marasmius</i>	<i>rotula</i>	(Scop.) Fr.	x				x
<i>Megacollybia</i>	<i>platyphylla</i>	(Persoon) Kotlaba & Pouzar				x	
<i>Meottomyces</i>	<i>dissimulans</i>	(Berk. & Broome) Vizzini			x		
<i>Mucilago</i>	<i>crustacea</i>	Wiggers			x		
<i>Mycena</i>	<i>erubescens</i>	Höhn.					x
<i>Mycena</i>	<i>galericulata</i>	(Scop. : Fr.) S.F.Gray		x	x	x	x
<i>Mycena</i>	<i>galopus</i>	(Pers. : Fr.) P. Kumm.		x	x		
<i>Mycena</i>	<i>haematopus</i>	(Pers. : Fr.) P. Kumm.		x	x	x	
<i>Mycena</i>	<i>inclinata</i>	(Fr.) Quél.			x	x	x
<i>Mycena</i>	<i>meliigena</i>	(Berkeley & Cooke) Saccardo		x	x		x
<i>Mycena</i>	<i>polygramma</i>	(Bulliard) Gray				x	
<i>Mycena</i>	<i>pseudocorticola</i>	Kühner		x	x		x
<i>Mycena</i>	<i>pura</i>	(Persoon) P. Kummer		x		x	
<i>Mycena</i>	<i>rosea</i>	(Pers.) Gramberg		x	x	x	
<i>Mycena</i>	<i>speirea</i>	(Fr. : Fr.) Gillet		x			
<i>Mycena</i>	<i>tenerrima</i>	Quél.		x			
<i>Mycena</i>	<i>vitis</i>	(Fr.) Quél.					x
<i>Panaeolus</i>	<i>acuminatus</i>	(P.Kumm.) Quél.		x			
<i>Panaeolus</i>	<i>foeniseii</i>	(Pers. : Fr.) Kühner		x			
<i>Panaeolus</i>	<i>papilionaceus</i>	(Bull. : Fr.) Quél., non ss Bres.		x	x		
<i>Panellus</i>	<i>stipticus</i>	(Bulliard) P. Karsten				x	x
<i>Parasola</i>	<i>conopila</i>	(Fr.) Örstadius & E. Larss.		x	x	x	x
<i>Parasola</i>	<i>plicatilis</i>	(Curtis) Redhead, Vilgalys & Hopple		x	x		
<i>Paxillus</i>	<i>ammoniavirescens</i>	Contu & Dessi		x			
<i>Paxillus</i>	<i>involutus</i>	(Batsch : Fr.) Fr.			x		x
<i>Phlebia</i>	<i>radiata</i>	Fr.	x				
<i>Phlebia</i>	<i>tremellosa</i>	(Schrad.) Nakasone & Burds.			x		
<i>Pholiota</i>	<i>gummosa</i>	(Lasch) Singer	x	x	x	x	
<i>Pholiota</i>	<i>tuberculosa</i>	(Schaeff.) P. Kumm.	x				
<i>Pholiotina</i>	<i>arrhenii</i>	(Fr.) Singer		x	x		
<i>Pholiotina</i>	<i>velata</i>	(Velenovsky) Hausknecht		x	x		
<i>Pleurotus</i>	<i>cornucopiae</i>	(Paulet) Quél.	x				

<i>Pleurotus</i>	<i>ostreatus</i>	(Jacq.) P.Kumm.		x		x	
<i>Pluteus</i>	<i>brunneoradiatus</i>	Bonnard		x			
<i>Pluteus</i>	<i>cervinus</i>	(Schaeffer) P. Kummer	x	x	x		
<i>Pluteus</i>	<i>salicinus</i>	(Pers.) P.Kumm.		x		x	
<i>Polyporus</i>	<i>tuberaster</i>	(Jacq. ex Pers.) Fr.			x		
<i>Postia</i>	<i>tephroleuca</i>	(Fries) Jülich			x	x	
<i>Psathyrella</i>	<i>candolleana</i>	(Fr.) Maire		x		x	
<i>Psathyrella</i>	<i>corrugis</i>	(Pers. : Fr.) Konrad & Maubl.		x	x		
<i>Psathyrella</i>	<i>piluliformis</i>	(Bull. : Fr.) Orton		x			
<i>Ramaria</i>	<i>stricta</i>	(Pers.: Fr.) Quél.		x			
<i>Rhodocollybia</i>	<i>butyracea</i>	(Bull.) Lennox			x		
<i>Rhodotus</i>	<i>palmatus</i>	(Bulliard) Maire		x			x
<i>Rickenella</i>	<i>fibula</i>	(Bull.) Raithelh.		x		x	
<i>Russula</i>	<i>amoenolens</i>	Romagn.			x		
<i>Russula</i>	<i>carpini</i>	R. Girard & Heinemann			x	x	
<i>Russula</i>	<i>fragilis</i>	Fr.					x
<i>Russula</i>	<i>graveolens</i>	Romell			x		x
<i>Russula</i>	<i>luteotacta</i>	Rea		x	x		
<i>Russula</i>	<i>parazurea</i>	J.Schaeffer		x			
<i>Russula</i>	<i>persicina</i>	Krombh.			x		
<i>Russula</i>	<i>praetervisa</i>	Sarnari		x			
<i>Rutstroemia</i>	<i>echinophila</i>	(Bull.) Höhn.	x				
<i>Scleroderma</i>	<i>verrucosum</i>	(Bull. : Pers.) Pers.			x		
<i>Spodocybe</i>	<i>trulliformis</i>	(Fr.) Vizzini, P.Alvarado & Dima					x
<i>Steccherinum</i>	<i>ochraceum</i>	(Pers. : Fr.) Gray			x		
<i>Stereum</i>	<i>hirsutum</i>	(Wildenow : Fr.) S.F.Gray			x	x	x
<i>Stereum</i>	<i>insignitum</i>	Quél.		x			
<i>Stereum</i>	<i>ochraceoflavum</i>	(Schwein.) Sacc.					x
<i>Stropharia</i>	<i>coronilla</i>	(Bulliard) Quélet				x	
<i>Taphrina</i>	<i>sadebeckii</i>	Johanson	x				
<i>Trametes</i>	<i>versicolor</i>	(L.: Fr.) Pil.		x	x	x	x
<i>Tricholoma</i>	<i>album</i>	(Schaeffer : Fr.) P. Kumm.			x	x	
<i>Tricholoma</i>	<i>sulphureum</i>	(Bull. : Fr.) P. Kumm.			x	x	
<i>Tricholoma</i>	<i>ustaloides</i>	Romagn.		x			
<i>Tubaria</i>	<i>dispersa</i>	(Persoon) Singer				x	

<i>Tubaria</i>	<i>furfuracea</i>	(Pers. : Fr.) Gillet		x			
<i>Vascellum</i>	<i>pratense</i>	(Pers.) Kreisel		x		x	x
<i>Volvopluteus</i>	<i>gloiocephalus</i>	(DC.) Vizzini, Contu & Justo		x	x		
<i>Xanthoporia</i>	<i>radiatus</i>	(Sowerby) Tjura, Zmitr., Wasser, Raats & Nevo			x	x	
<i>Xylaria</i>	<i>hypoxylon</i>	(L.) Grev.		x	x	x	